

Laserprinter med skanner A3 sort hvitt


# BP-50M55

A3 sort/hvitt-MFP er en sikker utskriftsløsning for fremtidens arbeidsplass.




- 55 sider pr. min. S/H MFP med problemfri integrasjon og forbindelse til cloudbaserte forretningsprosessapplikasjoner
- Indbygget Microsoft® Teams-connector (option) styrker samarbeidet ved at muliggjøre direkte og sikker adgang til utskrivning til eller scanning fra dine Microsoft® Teams-kanaler
- Hold dine data, din enhet og ditt nettverk sikkert med Bitdefender antimalwarebeskyttelsessoftware (ekstraudstyr)
- Utskriv sikkert fra eller scan til offentlige cloudlagertjenester hurtigt og nemt med enkeltlogon
- Omfattende etterbehandlingsmuligheter, herunder en foldeenhet, gir enda mere fleksibilitet til ditt utskriftsoutput
- Hold deg oppdatert og kompatibel med eksterne firmware- og programopdateringer via Sharp Application Portal
- Funktionsrig hardware- og softwareplattform, der understøtter det hybride arbeidsmiljø
- Brancheførende system- og databeskyttelsesfunksjoner, herunder BIOS-baseret sikkerhet og standard Trusted Platform Module, sikrer, at fortrolige data holdes sikre
- Interager med MFP'en direkte fra din mobile enhet via WiFi, AirPrint (option), Bluetooth, NFC og QR-kode
- 10.1-tommer farge LCD-kontrollpanel tilbyr en smartphone-stil brukergrenseflate, der gjør alt let at få adgang til og bruke
- Overlegen miljøprestation gir lavere standbystrømforbruk og lav TEC-værdi
- 100-arks reverserende enkeltpassmater skanner en- eller tosidige originaler med hastigheter på opptil 80 ipm for å fullføre store jobber med letthet og effektivitet

# Konfigurasjoner



Konfigurasjon kan avvike ift marked/region. Ta kontakt med lokal Sharp representant for mer informasjon.

## Mål



\* 1,648 mm when finisher tray and exit tray are extended.

Mål oppgitt inkluderer tilvalg. Tilvalg kan variere ift marked/region.

# Tilvalg

## Base Unit

### 01. BP-DE12 Stand with 550-sheet paper drawer

550 sheets\* , SRA3 to A5R (60 - 300 g/m2)

### 02. BP-DE13 Stand with 2 x 550-sheet paper drawer

550 sheets\* each for lower and upper trays, SRA3 to A5R (60 - 300 g/m2)

### 03. BP-DE14 Stand with 3 x 550-sheet paper drawer

550 sheets\* each for lower and upper trays, SRA3 to A5R (60 - 300 g/m2)

### 04. BP-DE15 Stand with 550 + 2100-sheet paper drawer

Upper tray: SRA3 – A5R, 550 sheets\* (60 - 300 g/m2)

Lower tray (Left): A4, 1,200 sheets\* (60 - 105 g/m2)

Lower tray (Right): A4 - B5, 900 sheets\* (60 - 105 g/m2)

### 05. BP-LC10 Large Capacity Tray

3,000 sheets\* , A4 - B5 (60 - 220 g/m2)

### 06. BP-UT10 Utility Table

## Printing

### MX-PK13 PS3 Expansion Kit

Enables PostScript printing

### MX-PU10 Direct Print Expansion Kit

### MX-PF10 Barcode Font Kit

Enables barcode printing

## Scanning

### MX-EB19 Enhanced Compression Kit

Enables creation of high compression PDFs

### MX-EB20 OCR Expansion Kit

### AR-SU1 Stamp Unit

Marks already scanned documents for checking

## Faxing

### BP-FX11 Fax Expansion Kit

### MX-FWX1 iFax Expansion Kit

## Connectivity

### BP-EB10 Wireless Connection Adaptor

Enables connection to wireless networks

## Storage

### BP-SD10 High Capacity SSD

512GB SSD

## Sharp OSA®

### MX-AMX1 Application Integration Module

### BP-AM10 Application Communication Module

### BP-AM11 External Account Module

## Security

### BP-FR12U Data Security Kit

Commercial version

### BP-VD10 Virus Detection Kit

## Finishing

### 07. BP-TR12 Exit Tray Unit

### 08. MX-LT10 Long Paper Feeding Tray

Recommended for banner printing

### 09. BP-TU10 Exit Tray Cabinet

### 10. MX-TR20 N Job Separator Tray

Requires BP-TU10 Exit Tray Cabinet

### 11. BP-FN11 Inner Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 500-sheet paper capacity\*

Stapling capacity: max. 50-sheet multi-position staple\*

Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m2), 40 sheets (80 g/m2)

Stapleless capacity: max.10-sheet (64 g/m2), 8 sheet (65 - 81.4 g/m2), 6 sheet (81.5 - 105 g/m2)

### 12. BP-RB10 Paper Pass Unit

Required when using BP-FN13, BP-FN14, BP-FN15 & BP-FN16

### 13. BP-FD10 Folding Unit

200 sheets\* , A3, B4, A4R (Z-fold & half fold), A3, A4R (C-Fold, Accordion fold), 60 - 256 g/m2

### 14. BP-FN13 1k Finisher

A3W - A5R (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max.1,000-sheet paper capacity\*

Stapling capacity: max. 50-sheet multi-position staple\*

### 15. BP-FN14 1k Saddle Stitch Finisher

A3W - A5R (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max.1,000-sheet paper capacity\*

Stapling capacity: max. 50-sheet multi-position staple\*

Saddle stitch tray (lower): 7 sets (11-15 sheets), 10 sets (6-10 sheets), 20 sets (1-5 sheets). 15 sheets max per set

### 16. BP-FN15 3k Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max.3,000-sheet paper capacity\*

Stapling capacity: max. 65-sheet multi-position staple\*

Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m2), 40 sheets (80 g/m2)

Stapleless capacity: max.10-sheet (64 g/m2), 8 sheet (65 - 81.4 g/m2), 6 sheet (81.5 - 105 g/m2)

### 17. BP-FN16 3k Saddle Stitch Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max.3,000-sheet paper capacity\*

Stapling capacity: max. 65-sheet multi-position staple\*

Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m2), 40 sheets (80 g/m2)

Stapleless capacity: max.10-sheet (64 g/m2), 8 sheet (65 - 81.4 g/m2), 6 sheet (81.5 - 105 g/m2)

Saddle stitch tray (lower): 10 sets (11-20 sheets), 15 sets (6-10 sheets), 25 sets (1-5 sheets). 20 sheets max per set

### MX-PN14B/C/D Punch Modules (3, 2/4, 4 wide) for BP-FN11

### MX-PN15B/C/D Punch Modules (3, 2/4, 4 wide) for BP-FN13/BP-FN14

### MX-PN16B/C/D Punch Modules (3, 2/4, 4 wide) for BP-FN15/BP-FN16

\* Number of sheets based on 80 g/m2

# Spesifikasjoner

## GENERELLT

|                                             |                       |
|---------------------------------------------|-----------------------|
| Hastighet, svart/hvit sider pr. minutt (A4) | 55                    |
| Hastighet, svart/hvit sider pr. minutt (A3) | 26                    |
| Papirstørrelse: Min-Max                     | A6R - A3W             |
| Papirvekt (g/m <sup>2</sup> )               | 60 - 300              |
| Papir kapasitet: Standard (ark)             | 650                   |
| Papir kapasitet: Max (ark)                  | 6300                  |
| Oppvarmningstid (sek)                       | 15                    |
| Kopieringsminne min/max (GB)                | 5                     |
| SSD                                         | STD / OPT             |
| SSD kapasitet (GB)                          | 128 / 512             |
| Dupleks                                     | STD                   |
| Strømkrav - lokal vekselstrøm AC volt (Hz)  | 220 - 240V, 50 / 60Hz |
| Energiforbruk (kW)                          | 1.84                  |
| Mål (B x D x H) (mm)                        | 608 x 653 x 829       |
| Vekt (kg)                                   | 63                    |

## DOKUMENTMATER

|                         |     |
|-------------------------|-----|
| Originalkapasitet (ark) | 100 |
|-------------------------|-----|

## DOKUMENTARKIVERING

|                                                          |                                                           |
|----------------------------------------------------------|-----------------------------------------------------------|
| Dokumentarkivering (standard/tilbehør)                   | STD                                                       |
| Arkiveringskapasitet - hovedmappe og egne mapper (sider) | 20000                                                     |
| Arkiveringskapasitet - hurtigmappe (sider)               | 10000                                                     |
| Lagrede jobber                                           | Copy, print, scan, fax transmission                       |
| Lagringsskapper                                          | Quick file folder, main folder, custom folder (max. 1000) |

## FAKS

|                                        |                                                   |
|----------------------------------------|---------------------------------------------------|
| Fax (standard/tilbehør)                | OPT                                               |
| Komprimeringsmetode                    | MH / MR / MMR / JBIG                              |
| Kommunikasjonsprotokoll                | Super G3 / G3                                     |
| Overføringstid (sec)                   | 2                                                 |
| Modemhastighet (bps)                   | 33600 - 2400                                      |
| Overføringsoppløsning                  | STD 203.2 x 97.8 dpi / Ultra Fine 406.4 x 391 dpi |
| Dokument størrelse (min)               | A5                                                |
| Dokument størrelse (max)               | A3                                                |
| Minne (GB)                             | 4                                                 |
| Gråskalanivåer                         | 256                                               |
| Nummer registrering, hurtig oppringing | 2000                                              |
| Gruppesending                          | 500                                               |

## TRÅDLØS LAN

|                                 |                                                                                                                                             |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| Trådløs LAN (standard/tilbehør) | OPT                                                                                                                                         |
| Kompatibilitet                  | IEEE802.11 a / b / g / n / ac                                                                                                               |
| Tilgangsmodus                   | Infrastructure mode, Software AP mode                                                                                                       |
| Sikkerhet                       | WEP, WPA / WPA2-mixed PSK, WPA / WPA2-mixed EAP, WPA2-PSK, WPA2-EAP, WPA2 / WPA3-mixed PSK / SAE, WPA3 SAE, WPA2 / WPA3-mixed EAP, WPA3 EAP |

## KOPI

|                                             |                       |
|---------------------------------------------|-----------------------|
| Originalstørrelse (Max)                     | A3                    |
| Tid til førstekopi, svart/hvit (sek)        | 3.5                   |
| Elektronisk sortering standard              | •                     |
| Kontinuerlig kopiering (max kopier)         | 9,999                 |
| Skann oppløsning, svart/hvit (dpi)          | 600 x 600, 600 x 400  |
| Skann oppløsning, farge (dpi)               | 600 x 600             |
| Skriver oppløsning (dpi)                    | 600 x 600, 9600 x 600 |
| Gradering (ekvivalente nivåer) - svart/hvit | 2                     |
| Gradering (ekvivalente nivåer) - farge      | 256                   |
| Zoom omfang (%)                             | 25 - 400              |
| Forhåndsinnstilt kopi ratio                 | 10                    |

## SKANNER

|                                         |                                                                                                                                                           |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Nätverksscanner (standard/tilbehør)     | STD                                                                                                                                                       |
| Skanning metode - Push og Pull skanning | •                                                                                                                                                         |
| Oppløsning Push skanning (dpi)          | 100, 150, 200, 300, 400, 600                                                                                                                              |
| Oppløsning Pull skanning (dpi)          | 75, 100, 150, 200, 300, 400, 600, 50 - 9600                                                                                                               |
| Filformater                             | TIFF, PDF, PDF / A-1a, PDF / A-1b, encrypted PDF, compact PDF, JPEG, XPS, searchable PDF*, Microsoft Office (pptx, xlsx, docx)*, TXT (UTF-8), RTF *option |
| Skann destinasjon - skrivebord          | •                                                                                                                                                         |
| Skann destinasjon - FTP, E-post         | •                                                                                                                                                         |
| Scannerdestinasjoner nätverksnett       | •                                                                                                                                                         |
| Skann destinasjon - USB minne           | •                                                                                                                                                         |

## SKRIVER

|                                      |                                                                                                        |
|--------------------------------------|--------------------------------------------------------------------------------------------------------|
| Oppløsning (dpi)                     | 600 x 600, 9600 x 600                                                                                  |
| Nätverksskrivare (standard/tilbehør) | STD Ethernet                                                                                           |
| Grensesnitt standard/opsjon          | USB 2.0, USB 3.0, 10Base-T / 100Base-TX / 1000Base-T                                                   |
| Standard støttede operativsystem     | Windows 8.1, 10, 11. Windows Server 2012, 2012R2, 2016, 2019                                           |
| Støttede operativsystems tilvalg     | Mac OS X 10.10, 10.11, 10.12, 10.13, 10.14, 10.15, 11, 12                                              |
| Nettverksprotokoll                   | TCP / IP (IPv4, IPv6)                                                                                  |
| Utskriftsprotokoll                   | LPR, Raw TCP (port 9100), POP3 (e-mail printing), HTTP, FTP for downloading print files, IPP, SMB, WSD |
| PDL standard/tilbehør                | STD PCL 6. OPT Adobe® PostScript® 3™                                                                   |
| Tilgjengelige fonter                 | 80 (PCL), 139 (Adobe PostScript 3)                                                                     |

## ETTERBEHANDLING

|                           |            |
|---------------------------|------------|
| Kapasitet Max.            | 500 - 3000 |
| Stiftekapasitet (ark) Max | 65         |
| Ryggstifting              | OPT        |
| Sideforskyvning           | STD        |
| Hulling                   | OPT        |

## TONER BEHOLDNING

|                           |       |
|---------------------------|-------|
| Sort (sider ved 6 % dekk) | 40000 |
|---------------------------|-------|



Design and specifications are subject to change without prior notice. All information was correct at time of print. Microsoft, Excel, PowerPoint, OneDrive, SharePoint, Active Directory, Windows Server, and Windows are either registered trademarks or trademarks of Microsoft Corporation in the US and/or other countries. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the US and/or other countries. Google Drive, Gmail, Android, and Google Cloud Print are trademarks of Google LLC. The Google Drive trademark is used with permission from Google LLC. Box is a trademark, service mark, or registered trademark of Box, Inc. QR Code is a registered trademark of DENSO WAVE INCORPORATED in Japan and other countries. AirPrint and Mac are trademarks of Apple Inc., registered in the US and other countries. PCL is a registered trademark of Hewlett-Packard Company. Qualcomm DirectOffice is a product of Qualcomm Technologies, Inc. and/or its subsidiaries. Qualcomm is a trademark of Qualcomm Incorporated, registered in the US and other countries. DirectOffice is a trademark of CSR Imaging US, LP, registered in the US and other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation July 2022. Ref: BP-50M55 Datasheet. All trademarks acknowledged. E&O.