

Note Language: English**Version: 31 Validity:**

Valid Since 02.08.2010

Summary**Symptom**

The company Sharp is member of the SAP Printer Vendor program and offers within this program connection software support for the printer model / device type pairs listed below.

For general information about the SAP Printer Vendor program please check note 1130927.

The printer model / device type combinations are visible in the newest data version of the "device type wizzard". Please read note 1036961 for a description how to use the device type wizard and how to select one of the combinations shown below.

The device types (or ABAP PDL drivers or printer code pages) are delivered in the SAP standard in the releases/support packages listed below. If your system has the correct release, but not yet the appropriate support package level it is possible to install them in advance using the attachments to this note. Please download the files and proceed with the installation as described in note 1103422.

Certain features of the device types become active only with the following releases and support package levels:

Additional print options: (see note 1049778)

SAP_BASIS 6.20 SP63 and higher

SAP_BASIS 6.40 SP21 and higher

SAP_BASIS 7.00 SP14 and higher

SAP_BASIS 7.10 standard

Status feedback with SNMP:

SAP_BASIS 7.00 Enh1 and higher

SAP_BASIS 7.10 Enh1 and higher

Contact address (manufacturer):

SHARP CORPORATION

CS PROMOTION CENTER

GENERAL MANAGER ENVIRONMENT AND QUALITY CONTROL

BUSINESS SOLUTIONS GROUP

Name : Seiichi Tanaka

Email : vpv-support@sharp.co.jp

Address: 492 MINOSHO-CHO, YAMATOKORIYAMA-SHI
NARA ZIP 639-1186, JAPAN

Other terms

SPAD , device type , SAP Printer Vendor program

Reason and Prerequisites**Solution****Supported Printer model/ device type combinations:**

Consecutive Number	Printer Model	Printer Model	device type
001	MX-7001	SH1DN000	
002	MX-6201	SH1DN000	
003	MX-4500	SH1DN000	
004	MX-4501	SH1DN000	
005	MX-3500	SH1DN000	
006	MX-3501	SH1DN000	
007	MX-3100	SH1DN000	
008	MX-2600	SH1DN000	
009	MX-7001	SH1HN000	
010	MX-6201	SH1HN000	
011	MX-4500	SH1HN000	
012	MX-4501	SH1HN000	
013	MX-3500	SH1HN000	
014	MX-3501	SH1HN000	
015	MX-3100	SH1HN000	
016	MX-2600	SH1HN000	
017	MX-7001	SHJDN100	
018	MX-6201	SHJDN100	
019	MX-4500	SHJDN100	
020	MX-4501	SHJDN100	
021	MX-3500	SHJDN100	
022	MX-3501	SHJDN100	
023	MX-3100	SHJDN100	
024	MX-2600	SHJDN100	
025	MX-7001	SHJHN100	
026	MX-6201	SHJHN100	
027	MX-4500	SHJHN100	
028	MX-4501	SHJHN100	
029	MX-3500	SHJHN100	
030	MX-3501	SHJHN100	
031	MX-3100	SHJHN100	
032	MX-2600	SHJHN100	
033	MX-M450	SH1DH000	
034	MX-M350	SH1DH000	
035	MX-M450	SH1HH000	
036	MX-M350	SH1HH000	
037	MX-M450	SHJDH100	
038	MX-M350	SHJDH100	
039	MX-M450	SHJHH100	
040	MX-M350	SHJHH100	

041	MX-M700	SH1DJ000
042	MX-M620	SH1DJ000
043	MX-M550	SH1DJ000
044	MX-M700	SH1HJ000
045	MX-M620	SH1HJ000
046	MX-M550	SH1HJ000
047	MX-M700	SHJDJ100
048	MX-M620	SHJDJ100
049	MX-M550	SHJDJ100
050	MX-M700	SHJHJ100
051	MX-M620	SHJHJ100
052	MX-M550	SHJHJ100
053	MX-M1100	SH1HP000
054	MX-M950	SH1HP000
055	MX-M850	SH1HP000
056	MX-M1100	SHJHP100
057	MX-M950	SHJHP100
058	MX-M860	SHJHP100
059	DX-C401	SH1DN020
060	DX-C400	SH1DN020
061	DX-C381	SH1DN020
062	DX-C380	SH1DN020
063	DX-C311	SH1DN020
064	DX-C310	SH1DN020
065	MX-C401	SH1DN020
066	MX-C400	SH1DN020
067	MX-C381	SH1DN020
068	MX-C380	SH1DN020
069	MX-C311	SH1DN020
070	MX-C310	SH1DN020
071	DX-C401	SH1HN020
072	DX-C400	SH1HN020
073	DX-C381	SH1HN020
074	DX-C380	SH1HN020
075	DX-C311	SH1HN020
076	DX-C310	SH1HN020
077	MX-C401	SH1HN020
078	MX-C400	SH1HN020
079	MX-C381	SH1HN020
080	MX-C380	SH1HN020
081	MX-C311	SH1HN020
082	MX-C310	SH1HN020
083	MX-C381	SHJDN120
084	MX-C310	SHJDN120
085	MX-C381	SHJHN120
086	MX-C310	SHJHN120
087	MX-1800	SH1DN000

088	MX-2300	SH1DN000
089	MX-2700	SH1DN000
090	MX-5500	SH1DN000
091	MX-6200	SH1DN000
092	MX-7000	SH1DN000
093	MX-1800	SH1HN000
094	MX-2300	SH1HN000
095	MX-2700	SH1HN000
096	MX-5500	SH1HN000
097	MX-6200	SH1HN000
098	MX-7000	SH1HN000
099	MX-2000	SHJDN100
100	MX-2300	SHJDN100
101	MX-2700	SHJDN100
102	MX-5500	SHJDN100
103	MX-6200	SHJDN100
104	MX-7000	SHJDN100
105	MX-2300	SHJHN100
106	MX-2700	SHJHN100
107	MX-5500	SHJHN100
108	MX-6200	SHJHN100
109	MX-7000	SHJHN100
110	MX-4100	SH1DN010
111	MX-4101	SH1DN010
112	MX-5000	SH1DN010
113	MX-5001	SH1DN010
114	MX-4100	SH1HN010
115	MX-4101	SH1HN010
116	MX-5000	SH1HN010
117	MX-5001	SH1HN010
118	MX-3600	SHJDN110
119	MX-4100	SHJDN110
120	MX-4101	SHJDN110
121	MX-5000	SHJDN110
122	MX-5001	SHJDN110
123	MX-3600	SHJHN110
124	MX-4100	SHJHN110
125	MX-4101	SHJHN110
126	MX-5000	SHJHN110
127	MX-5001	SHJHN110
128	MX-M1100	SH1DP000
129	MX-M950	SH1DP000
130	MX-M850	SH1DP000
131	MX-M1100	SHJDP100
132	MX-M950	SHJDP100
133	MX-M860	SHJDP100
134	AR-M318	SH1DK000
135	AR-M317	SH1DK000

136	AR-M316	SH1DK000
137	AR-M258	SH1DK000
138	AR-M257	SH1DK000
139	AR-M256	SH1DK000
140	AR-M318	SH1HK000
141	AR-M317	SH1HK000
142	AR-M316	SH1HK000
143	AR-M258	SH1HK000
144	AR-M257	SH1HK000
145	AR-M256	SH1HK000
146	AR-317	SHJDK100
147	AR-267	SHJDK100
148	AR-317	SHJHK100
149	AR-267	SHJHK100
150	MX-B401	SH1DH020
151	MX-B401	SH1HH020
152	MX-M503	SH1DH010
153	MX-M453	SH1DH010
154	MX-M363	SH1DH010
155	MX-M283	SH1DH010
156	MX-M503	SH1HH010
157	MX-M453	SH1HH010
158	MX-M363	SH1HH010
159	MX-M283	SH1HH010
160	MX-M503	SHJDH110
161	MX-M423	SHJDH110
162	MX-M363	SHJDH110
163	MX-M283	SHJDH110
164	MX-M503	SHJHH110
165	MX-M423	SHJHH110
166	MX-M363	SHJHH110
167	MX-M283	SHJHH110
168	MX-B381	SH1DH020
169	MX-B381	SH1HH020
170	MX-2301	SH1DN000
171	MX-2301	SH1HN000
172	MX-2301	SHJDN100
173	MX-2301	SHJHN100
174	MX-M310	SH1DK010
175	MX-M260	SH1DK010
176	MX-M310	SH1HK010

177	MX-M260	SH1HK010
178	MX-M310	SHJDK110
179	MX-M260	SHJDK110
180	MX-M310	SHJHK110
181	MX-M260	SHJHK110
182	MX-B400	SH1DH020
183	MX-B400	SH1HH020
184	MX-M753	SH1DJ010
185	MX-M623	SH1DJ010
186	MX-M753	SH1HJ010
187	MX-M623	SH1HJ010
188	MX-B380	SH1DH020
189	MX-B380	SH1HH020
190	MX-M753	SHJDJ110
191	MX-M623	SHJDJ110
192	MX-M753	SHJHJ110
193	MX-M623	SHJHJ110

Note:

The model notation is omitted showing optional information.

By optional constitution, we support model names such as 'N','G','F','FN'.

Details:

001 MX-7001 / SH1DN000 (version 01)
002 MX-6201
003 MX-4500
004 MX-4501
005 MX-3500
006 MX-3501
007 MX-3100
008 MX-2600

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function

- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

009 MX-7001 / SH1HN000 (version 01)
010 MX-6201
011 MX-4500
012 MX-4501
013 MX-3500
014 MX-3501
015 MX-3100
016 MX-2600

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

017 MX-7001 / SHJDN100 (version 01)
018 MX-6201
019 MX-4500
020 MX-4501
021 MX-3500

022 MX-3501
023 MX-3100
024 MX-2600

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

025 MX-7001 / SHJHN100 (version 01)
026 MX-6201
027 MX-4500
028 MX-4501
029 MX-3500
030 MX-3501
031 MX-3100
032 MX-2600

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function

- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

033 MX-M450 / SH1DH000 (version 01)

034 MX-M350

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

035 MX-M450 / SH1HH000 (version 01)

036 MX-M350

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:

- Input tray selection
- Output tray selection
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

037 MX-M450 / SHJDH100 (version 01)

038 MX-M350

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

039 MX-M450 / SHJHH100 (version 01)

040 MX-M350

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

041 MX-M700 / SH1DJ000 (version 01)

042 MX-M620

043 MX-M550

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

044 MX-M700 / SH1HJ000 (version 01)

045 MX-M620
046 MX-M550

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

047 MX-M700 / SHJDJ100 (version 01)
048 MX-M620
049 MX-M550

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

050 MX-M700 / SHJHJ100 (version 01)

051 MX-M620

052 MX-M550

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

053 MX-M1100 / SH1HP000 (version 01)

054 MX-M950

055 MX-M850

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function

- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

056 MX-M1100 / SHJHP100 (version 01)
057 MX-M950
058 MX-M860

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

059 DX-C401 / SH1DN020 (version 01)
060 DX-C400
061 DX-C381
062 DX-C380
063 DX-C311
064 DX-C310
065 MX-C401
066 MX-C400
067 MX-C381
068 MX-C380
069 MX-C311
070 MX-C310

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

071 DX-C401 / SH1HN020 (version 01)

072 DX-C400

073 DX-C381

074 DX-C380

075 DX-C311

076 DX-C310

077 MX-C401

078 MX-C400

079 MX-C381

080 MX-C380

081 MX-C311

082 MX-C310

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

083 MX-C381 / SHJDN120 (version 01)

084 MX-C310

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

085 MX-C381 / SHJHN120 (version 01)

086 MX-C310

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function

- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

087 MX-1800 / SH1DN000 (version 01)
088 MX-2300
089 MX-2700
090 MX-5500
091 MX-6200
092 MX-7000

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

093 MX-1800 / SH1HN000 (version 01)
094 MX-2300
095 MX-2700
096 MX-5500
097 MX-6200
098 MX-7000

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

099 MX-2000 / SHJDN100 (version 01)

100 MX-2300

101 MX-2700

102 MX-5500

103 MX-6200

104 MX-7000

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode Print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

105 MX-2300 / SHJHN100 (version 01)

106 MX-2700

107 MX-5500

108 MX-6200

109 MX-7000

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

110 MX-4100 / SH1DN010 (version 01)

111 MX-4101

112 MX-5000

113 MX-5001

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection

- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

114 MX-4100 / SH1HN010 (version 01)
115 MX-4101
116 MX-5000
117 MX-5001

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

118 MX-3600 / SHJDN110 (version 01)
119 MX-4100
120 MX-4101
121 MX-5000

122 MX-5001

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

123 MX-3600 / SHJHN110 (version 01)

124 MX-4100

125 MX-4101

126 MX-5000

127 MX-5001

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white

- Additional print options:

- Input tray selection
- Output tray selection
- Print in Color
- Double-sided Printing
- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

128 MX-M1100 / SH1DP000 (version 01)
129 MX-M950
130 MX-M850

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

131 MX-M1100 / SHJDP100 (version 01)
132 MX-M950
133 MX-M860

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing

- Page Binding
- Punching Function
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

134 AR-M318 / SH1DK000 (version 01)
135 AR-M317
136 AR-M316
137 AR-M258
138 AR-M257
139 AR-M256

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

140 AR-M318 / SH1HK000 (version 01)
141 AR-M317
142 AR-M316
143 AR-M258

144 AR-M257
145 AR-M256

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

146 AR-317 / SHJDK100 (version 01)
147 AR-267

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.

- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

148 AR-317 / SHJHK100 (version 01)

149 AR-267

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

150 MX-B401 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

151 MX-B401 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

152 MX-M503 / SH1DH010 (version 01)

153 MX-M453

154 MX-M363

155 MX-M283

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number

- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

156 MX-M503 / SH1HH010 (version 01)

157 MX-M453

158 MX-M363

159 MX-M283

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

160 MX-M503 / SHJDH110 (version 01)

161 MX-M423

162 MX-M363

163 MX-M283

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white

- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

164 MX-M503 / SHJHH110 (version 01)
165 MX-M423
166 MX-M363
167 MX-M283

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

168 MX-B381 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

169 MX-B381 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

170 MX-2301 / SH1DN000 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

171 MX-2301 / SH1HN000 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

172 MX-2301 / SHJDN100 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

173 MX-2301 / SHJHN100 (version 01)

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Color/Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Print in Color
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.

Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

174 MX-M310 / SH1DK010 (version 01)

175 MX-M260

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

176 MX-M310 / SH1HK010 (version 01)

177 MX-M260

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

178 MX-M310 / SHJDK110 (version 01)

179 MX-M260

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

180 MX-M310 / SHJHK110 (version 01)

181 MX-M260

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing

- Page Binding
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

182 MX-B400 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

183 MX-B400 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection

- Double-sided Printing
- Page Binding
- Stapling Function
- User Number
- Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

184 MX-M753 / SH1DJ010 (version 01)

185 MX-M623

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

186 MX-M753 / SH1HJ010 (version 01)

187 MX-M623

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white

- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

188 MX-B380 / SH1DH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

189 MX-B380 / SH1HH020 (version 01)

Properties:

- Supported languages: Character set "ISO 8859/1" (Latin 1)
- PDL: PostScript
- Paper sizes: A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported

190 MX-M753 / SHJDDJ110 (version 01)
191 MX-M623

Properties:

- Supported languages: Japanese (SJIS)
- PDL: HP LaserJet driver PCL4/PCL5
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

SPDL (SHARP Printer Description Language) is compatible with HP PCL4/5.
Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

192 MX-M753 / SHJHJ110 (version 01)
193 MX-M623

Properties:

- Supported languages: Japanese (SJIS)
- PDL: PostScript
- Paper sizes: A3,A4,A5,EXECUTIVE,LEGAL,LETTER,

X_58_170,X_65_132,X_65_200,X_65_255,X_65_80,X_90_120,X_44_120

- Print in Black and white
- Additional print options:
 - Input tray selection
 - Output tray selection
 - Double-sided Printing
 - Page Binding
 - Punching Function
 - Stapling Function
 - User Number
 - Barcode print from R/3

Attention:

Barcode print from SmartForms is supported. Please follow note 645158.
Barcode print from ABAP and SAPScript are not supported.

Restrictions:

- OCR-A/B print from R/3 are not supported.
- Job Separation is not supported
- SNMP is not supported
- TTF download is supported only for a European font

Delivery: 001 to 052

SAP_BASIS 620, SP SAPKB62066
SAP_BASIS 640, SP SAPKB64024
SAP_BASIS 700, SP SAPKB70018
SAP_BASIS 701, SP SAPKB70103
SAP_BASIS 710, SP SAPKB71007
SAP_BASIS 711, SP SAPKB71101

Support information:

We plan to support all new Multifunction/Printer models we introduce in the market.

Header Data

Release Status:	Released for Customer
Released on:	02.08.2010 06:37:00
Master Language:	English
Priority:	Recommendations/additional info
Category:	Special development
Primary Component:	BC-CCM-PRN-PVP-SH SAP Printer Vendor Program: Sharp

Secondary Components:

BC-CCM-PRN Print and Output Management

Valid Releases

Software Component	Release	From Release	To Release	and Subsequent
SAP_BASIS	60	620	640	
SAP_BASIS	70	700	701	
SAP_BASIS	71	710	711	

Support Packages

Support Packages	Release	Package Name
SAP_BASIS	620	SAPKB62066
SAP_BASIS	640	SAPKB64024
SAP_BASIS	700	SAPKB70018
SAP_BASIS	701	SAPKB70103
SAP_BASIS	710	SAPKB71007
SAP_BASIS	711	SAPKB71101

Related Notes

Number	Short Text
1097990	List of Printer Vendor Wizard Notes

Attachments

File Type	File Name	Language	Size
ZIP	Sharp_DV_Latin1.zip	E	785 KB
ZIP	Sharp_DV_JP_1.zip	E	1.819 KB
ZIP	Sharp_DevTyps.zip	E	60 KB
ZIP	Sharp_DV_JP_2.zip	E	450 KB