

A3 Colour Photocopier

# Sharp BP-71C36


Smart A3 colour MFP with multi-layered security features and advanced environmental credentials



- 36ppm A3 colour MFP with seamless integration and connection to cloud based business process applications
- Collaborate with ease using the Microsoft® Teams connector to print from or scan to your Microsoft® Teams channels directly from the MFP control panel
- Bring more flexibility to your print output with an extensive range of finishing options including stapling, punching and folding
- Complete large jobs quickly and efficiently with scan speeds of up to 300ipm and optional double feed detection\*2 stops scanning when two or more sheets are fed at once
- With support for Microsoft Entra ID you can manage identities and control device access via a secure cloud-based tool
- Single sign-on lets you securely print from or scan to public cloud storage services quickly and easily
- Multi-layered security features include automatic BIOS recovery if anomalies are detected during start-up and standard Trusted Platform Module to keep your confidential data secure
- Keep your data, device and network secure with optional Bitdefender anti-malware protection software\*1
- A sustainable design uses up to 50% recycled plastics in manufacturing the base unit of the MFP and cardboard packaging helps reduces plastic waste
- Advanced eco-technologies deliver an impressively low TEC value and standby power consumption rate
- Intuitive icons and a smartphone style interface on the 10.1-inch colour LCD control panel make operating the MFP smooth and easy
- Keep up-to-date and compliant with automatic online firmware and application updates via the Sharp Application Portal


\*1 Requires BP-VD10. \*2 Requires BP-DD10.

# Konfigurasjoner



Konfigurasjon kan avvike ift marked/region. Ta kontakt med lokal Sharp representant for mer informasjon.

## Mål



Mål oppgitt inkluderer tilvalg. Tilvalg kan variere ift marked/region.

# Tilvalg

## Base Unit

### 01. BP-DE12 Stand with 550-sheet paper drawer

550 sheets\*, SRA3 - A5R (60 - 300 g/m2)

### 02. BP-DE13 Stand with 2 x 550-sheet paper drawer

550 sheets\* each for lower and upper trays, SRA3 - A5R (60 - 300 g/m2)

### 03. BP-DE14 Stand with 3 x 550-sheet paper drawer

550 sheets\* each for lower and upper trays, SRA3 - A5R (60 - 300 g/m2)

### 04. BP-DE15 Stand with 550 + 2100-sheet paper drawer

Upper tray: 550 sheets\*, SRA3 - A5R (60 - 300 g/m2)

Lower tray (Left): 1,200 sheets\*, A4, (60 - 105 g/m2)

Lower tray (Right): 900 sheets\*, A4 - B5, (60 - 105 g/m2)

### 05. BP-LC10 Large Capacity Tray

3,000 sheets\*, A4 - B5 (60 - 220 g/m2)

### 06. BP-UT10 Utility Table

### BP-DD10 Double Feed Detection Kit

Eliminates double feeding of paper while scanning

## Printing

### MX-PF10 Barcode Font Kit

Enables barcode printing

## Faxing

### BP-FX11 Fax Expansion Kit

### MX-FWX1 iFax Expansion Kit

## Storage

### BP-SD10 High Capacity SSD

512GB SSD

## Sharp OSA®

### MX-AMX1 Application Integration Module

## Security

### BP-FR12U Data Security Kit

Commercial version

### BP-VD10 Virus Detection Kit

## Finishing

### 07. BP-TR12 Exit Tray Unit

### 08. MX-LT10 Long Paper Feeding Tray

Recommended for banner printing

### 09. MX-TR20 N Job Separator Tray

Requires BP-TU10 Exit Tray Cabinet

### 10. BP-FN18 Inner Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 500-sheet paper capacity\*

Stapling capacity: max. 30-sheet multi-position staple\*

Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m2), 40 sheets (80 g/m2)

Stapleless capacity: max. 10-sheet (64 g/m2), 8 sheet (65 - 81.4 g/m2), 6 sheet (81.5 - 105 g/m2)

### 11. BP-RB10 Paper Pass Unit

Required when using BP-FN13, BP-FN14, BP-FN15 & BP-FN16

### 12. BP-FD10 Folding Unit

200 sheets\*, A3, B4, A4R (Z-fold & half fold), A3, A4 (C-Fold, Accordion fold), 60 - 256 g/m2

### 13. BP-FN13 1k Finisher

A3W - A5R (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 1,000-sheet paper capacity\*

Stapling capacity: max. 50-sheet multi-position staple\*

### 14. BP-FN14 1k Saddle Stitch Finisher

A3W - A5R (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 1,000-sheet paper capacity\*

Stapling capacity: max. 50-sheet multi-position staple\*

Saddle stitch tray (lower): 7 sets (11-15 sheets), 10 sets (6-10 sheets), 20 sets (1-5 sheets). 15 sheets max per set

### 15. BP-FN15 3k Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 3,000-sheet paper capacity\*

Stapling capacity: max. 65-sheet multi-position staple\*

Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m2), 40 sheets (80 g/m2)

Stapleless capacity: max. 10-sheet (64 g/m2), 8 sheet (65 - 81.4 g/m2), 6 sheet (81.5 - 105 g/m2)

### 16. BP-FN16 3k Saddle Stitch Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 3,000-sheet paper capacity\*

Stapling capacity: max. 65-sheet multi-position staple\*

Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m2), 40 sheets (80 g/m2)

Stapleless capacity: max. 10-sheet (64 g/m2), 8 sheet (65 - 81.4 g/m2), 6 sheet (81.5 - 105 g/m2)

Saddle stitch tray (lower): 10 sets (11-20 sheets), 15 sets (6-10 sheets), 25 sets (1-5 sheets). 20 sheets max per set

### MX-PN14B/C/D Punch Modules (3, 2/4, 4 wide) for BP-FN18

### MX-PN15B/C/D Punch Modules (3, 2/4, 4 wide) for BP-FN13/BP-FN14

### MX-PN16B/C/D Punch Modules (3, 2/4, 4 wide) for BP-FN15/BP-FN16

\* Number of sheets based on 80 g/m2

# Spesifikasjoner

## GENERELLT

|                                                         |                       |
|---------------------------------------------------------|-----------------------|
| Hastighet farger kopier/utskrifter per minutt (A4)      | 36                    |
| Hastighet svart/hvitt kopier/utskrifter per minutt (A4) | 36                    |
| Hastighet farger kopier/utskrifter per minutt (A3)      | 18                    |
| Hastighet svart/hvitt kopier/utskrifter per minutt (A3) | 18                    |
| Papirstørrelse: Min-Max                                 | A6R - SRA3            |
| Papirvekt (g/m <sup>2</sup> )                           | 52 - 300              |
| Papir kapasitet: Standard (ark)                         | 650                   |
| Papir kapasitet: Max (ark)                              | 6300                  |
| Oppvarmningstid (sek)                                   | 14                    |
| Kopieringsminne min/max (GB)                            | 5                     |
| SSD                                                     | STD / OPT             |
| SSD kapasitet (GB)                                      | 256 / 512             |
| Dupleks                                                 | STD                   |
| Strømkrav - lokal vekselstrøm AC volt (Hz)              | 200 - 240V, 50 / 60Hz |
| Energiforbruk (kW)                                      | 1.84                  |
| Mål (B x D x H) (mm)                                    | 609 x 662 x 860       |
| Vekt (kg)                                               | 85                    |

## DOKUMENTATER

|                         |     |
|-------------------------|-----|
| Originalkapasitet (ark) | 300 |
|-------------------------|-----|

## DOKUMENTARKIVERING

|                                                         |                                                           |
|---------------------------------------------------------|-----------------------------------------------------------|
| Dokumentarkivering (standard/tilbehør)                  | STD                                                       |
| Arkiveringskapasitet- hovedmappe og egne mapper (sider) | 20000                                                     |
| Arkiveringskapasitet - hurtigmappe (sider)              | 10000                                                     |
| Lagrede jobber                                          | Copy, print, scan, fax transmission                       |
| Lagringsmapper                                          | Quick file folder, main folder, custom folder (max. 1000) |

## FAKS

|                                        |                                                   |
|----------------------------------------|---------------------------------------------------|
| Fax (standard/tilbehør)                | OPT                                               |
| Komprimeringsmetode                    | MH / MR / MMR / JBIG                              |
| Kommunikasjonsprotokoll                | Super G3 / G3                                     |
| Overføringstid                         | 2                                                 |
| Modemhastighet (bps)                   | 33600 - 2400                                      |
| Overføringsoppløsning                  | STD 203.2 x 97.8 dpi / Ultra Fine 406.4 x 391 dpi |
| Dokument størrelse (min)               | A5                                                |
| Dokument størrelse (max)               | A3                                                |
| Minne (GB)                             | 4                                                 |
| Gråskalanivåer                         | 256                                               |
| Nummer registrering, hurtig oppringing | 2000                                              |
| Gruppesending (maks destinasjoner)     | 500                                               |

## TRÅDLØS LAN

|                                 |                                                                                                                                             |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| Trådløs LAN (standard/tilbehør) | STD                                                                                                                                         |
| Kompatibilitet                  | IEEE802.11 a / b / g / n / ac                                                                                                               |
| Tilgangsmodus                   | Infrastructure mode, Software AP mode                                                                                                       |
| Sikkerhet                       | WEP, WPA / WPA2-mixed PSK, WPA / WPA2-mixed EAP, WPA2-PSK, WPA2-EAP, WPA2 / WPA3-mixed PSK / SAE, WPA3 SAE, WPA2 / WPA3-mixed EAP, WPA3 EAP |

## KOPI

|                                            |                                    |
|--------------------------------------------|------------------------------------|
| Originalstørrelse (Max)                    | A3                                 |
| Tid til første kopi, farge (sek)           | 6.5                                |
| Tid til første kopi, svart/hvitt (sek)     | 4.6                                |
| Elektronisk sortering standard             | •                                  |
| Kontinuerlig kopiering (max kopier)        | 9,999                              |
| Oppløsning ved skanning, svart/hvitt (dpi) | 600 x 600, 600 x 400, 600 x 300    |
| Oppløsning ved skanning, farge (dpi)       | 600 x 600                          |
| Oppløsning skrivere (dpi)                  | 1200 x 1200, 600 x 600, 9600 x 600 |
| Gradering (ekvivalente nivåer) - farge     | 256                                |
| Zoom omfang (%)                            | 25 - 400                           |
| Forhåndsinnstilt kopi ratio                | 10                                 |

## SKANNER

|                                         |                                                                                                                                                 |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Nätverksscanner (standard/tilbehør)     | STD                                                                                                                                             |
| Skanning metode - Push og Pull skanning | •                                                                                                                                               |
| Oppløsning Push skanning (dpi)          | 100, 150, 200, 300, 400, 600                                                                                                                    |
| Oppløsning Pull skanning (dpi)          | 75, 100, 150, 200, 300, 400, 600, 50 - 9600                                                                                                     |
| Filformater                             | TIFF, PDF, PDF / A-1a, PDF / A-1b, encrypted PDF, compact PDF, JPEG, XPS, searchable PDF, Microsoft Office (pptx, xlsx, docx), TXT (UTF-8), RTF |
| Skann destinasjon - skrivebord          | •                                                                                                                                               |
| Skann destinasjon - FTP, E-post         | •                                                                                                                                               |
| Scannerdestinasjoner nätverksmapp       | •                                                                                                                                               |
| Skann destinasjon - USB minne           | •                                                                                                                                               |

## SKRIVER

|                                      |                                                                                                        |
|--------------------------------------|--------------------------------------------------------------------------------------------------------|
| Oppløsning (dpi)                     | 1200 x 1200, 600 x 600, 9600 x 600                                                                     |
| Nätverksskrivere (standard/tilbehør) | STD Ethernet                                                                                           |
| Grensesnitt standard/opsjon          | USB 2.0, USB 3.0, 10Base-T / 100Base-TX / 1000Base-T, Optional secondary LAN support                   |
| Standard støttede operativsystem     | Windows 10, 11. Windows Server 2016, 2019, 2022, 2025. Mac OS X 10.15, 11, 12, 13, 14, 15              |
| Nettverksprotokoller                 | TCP / IP (IPv4, IPv6)                                                                                  |
| Utskriftsprotokoller                 | LPR, Raw TCP (port 9100), POP3 (e-mail printing), HTTP, FTP for downloading print files, IPP, SMB, WSD |
| PDL standard/opsjon                  | STD PCL 6, Adobe® PostScript® 3™                                                                       |
| Tilgjengelige fonter                 | 80 (PCL), 139 (Adobe PostScript 3)                                                                     |

## ETTERBEHANDLING

|                           |            |
|---------------------------|------------|
| Kapasitet Max.            | 500 - 3250 |
| Stiftekapasitet (ark) Max | 65         |
| Ryggstifting              | OPT        |
| Sideforskyvning           | STD        |
| Hulling                   | OPT        |

## TONER BEHOLDNING

|                             |       |
|-----------------------------|-------|
| Sort (sider ved 5 % dekk)   | 40000 |
| Cyan (sider ved 5% dekk)    | 24000 |
| Magenta (sider ved 5% dekk) | 24000 |
| Gul (sider ved 5% dekk)     | 24000 |



Design and specifications are subject to change without prior notice. All information was correct at time of print. Microsoft, Excel, PowerPoint, OneDrive, SharePoint, Active Directory, Windows Server, and Windows are either registered trademarks or trademarks of Microsoft Corporation in the US and/or other countries. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the US and/or other countries. Google Drive, Gmail and Android are trademarks of Google LLC. The Google Drive trademark is used with permission from Google LLC. Box is a trademark, service mark, or registered trademark of Box, Inc. QR Code is a registered trademark of DENSO WAVE INCORPORATED in Japan and other countries. AirPrint and Mac are trademarks of Apple Inc., registered in the US and other countries. PCL is a registered trademark of Hewlett-Packard Company. Qualcomm DirectOffice is a product of Qualcomm Technologies, Inc. and/or its subsidiaries. Qualcomm is a trademark of Qualcomm Incorporated, registered in the US and other countries. DirectOffice is a trademark of CSR Imaging US, LP, registered in the US and other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation August 2025. Ref: Sharp BP-71C36 Datasheet. All trademarks acknowledged. E&O.