

Laserprinter med skanner - Sort hvitt A3


# BP-50M55



BP-50M55 A3 sort/hvitt-MFP er en sikker utskriftsløsning for fremtidens arbeidsplass.

- 55 sider pr. min. S/H MFP med problemfri integration og forbindelse til cloudbaserede forretningsprosessapplikationer
- Funktionsrig hardware- og softwareplattform, der understøtter det hybride arbejdsmiljø
- Indbygget Microsoft® Teams-connector (option) styrker samarbejdet ved at muliggøre direkte og sikker adgang til udskrivning til eller scanning fra dine Microsoft® Teams-kanaler
- Brancheførende system- og databeskyttelsesfunktioner, herunder BIOS-baseret sikkerhed og standard Trusted Platform Module, sikrer, at fortrolige data holdes sikre
- Hold dine data, din enhed og dit netværk sikkert med Bitdefender antimalwarebeskyttelsessoftware (ekstraudstyr)
- Interager med MFP'en direkte fra din mobile enhed via WiFi, AirPrint (option), Bluetooth, NFC og QR-kode
- Udskriv sikkert fra eller scan til offentlige cloudlagertjenester hurtigt og nemt med enkeltlogon
- 10.1-tommer farve LCD-kontrolpanel tilbyder en smartphone-stil brugergrænseflade, der gør alt let at få adgang til og bruge
- Omfattende efterbehandlingsmuligheder, herunder en foldeenhed, giver endnu mere fleksibilitet til dit udskriftsoutput
- Overlegen miljøpræstation giver lavere standbystrømforbrug og lav TEC-værdi
- Hold dig opdateret og kompatibel med eksterne firmware- og programopdateringer via Sharp Application Portal
- 100-arks reverserende enkeltpassmater skanner en- eller tosidige originaler med hastigheder på op til 80 ipm for at fullføre store jobber med letthed og effektivitet

## Konfigurasjoner



## Mål



## Hovedenhët

### BP-LC10 Large Capacity Tray

3,000 sheets (based on 80 g/m2), A4-B5 (60-220 g/m2)

### BP-DE14 Stand with 3 x 550-sheet Paper Drawers

550 sheets each for lower and upper trays (based on 80 g/m2), SRA3-A5R (60-300 g/m2)

### BP-UT10 Utility Table

### BP-DE13 Stand with 2 x 550-sheet Paper Drawers

550 sheets each for lower and upper trays (based on 80 g/m2), SRA3-A5R (60-300 g/m2)

### BP-DE15 Stand with 550 + 2100-sheet Paper Drawers

Upper tray: SRA3-A5R, 550 sheets\* (60-300 g/m2); Lower tray (Left): A4, 1,200 sheets\* (60-105 g/m2); Lower tray (Right): A4 - B5, 900 sheets\* (60-105 g/m2); \* Number of sheets based on 80 g/m2

### BP-DE12 Stand with 550-sheet Paper Drawer

550 sheets (based on 80 g/m2), SRA3-A5R (60-300 g/m2)

## Skanning

### MX-EB20 OCR Expansion Kit

Convert scanned documents into editable Microsoft® Office files and searchable PDFs via Optical Character Recognition (OCR).

Essential MFPs only

### MX-EB19 Enhanced Compression Kit

Enables creation of high compression PDFs.

## Utskrift

### MX-PF10 Barcode Font Kit

Enables barcode printing

### MX-PK13 PS3 Expansion Kit

Adobe PostScript®3™ expansion kit. Essential MFPs only.

### MX-PU10 Direct Print Expansion Kit

Direct print Microsoft® Office files from USB drives. Essential MFPs only.

## Sharp OSA

### MX-AMX1 Application Integration Module

### BP-AM11 External Account Module

### BP-AM10 Application Communication Module

## Sikkerhet

### BP-FR12U Data Security Kit

Commercial version

### BP-VD10 Virus Detection Kit

## Tilkobling

### BP-EB10 Wireless Connection Adaptor

Enables connection to wireless networks

## Lagring

### BP-SD10 High Capacity SSD

512GB SSD

## Faksing

### MX-FWX1

### BP-FX11 Fax Expansion Kit

## Etterbehandling

### MX-LT10 Long Paper Feeding Tray

Recommended for banner printing

### MX-PN15D Punch Module - 4 Hole Wide

Punch module for BP-FN13/BP-FN14/MX-FN28/MX-FN29

### MX-PN14D Punch Module - 4 Hole Wide

Punch module for BP-FN11/BP-FN12

### BP-TU10 Exit Tray Cabinet

### BP-FN14 1k Saddle Stitch Finisher

A3W-A5R (offset/staple), SRA3-A5R (non offset); Offset tray (upper): max. 1,000-sheet paper capacity (based on 80 g/m2); Stapling capacity: max. 50-sheet multi-position staple (based on 80 g/m2); Saddle stitch tray (lower): 7 sets (11-15 sheets), 10 sets (6-10 sheets), 20 sets (1-5 sheets). 15 sheets max per set; Requires BP-RB10 Paper Pass Unit

### MX-PN16D Punch Module - 4 Hole Wide

Punch module for BP-FN15/BP-FN16/MX-FN30/MX-FN31/MX-FN34/MX-FN35

### MX-PN15C Punch Module - 2/4 Hole

Punch module for BP-FN13/BP-FN14/MX-FN28/MX-FN29

### MX-PN14C Punch Module - 2/4 Hole

Punch module for BP-FN11/BP-FN12

### BP-FN13 1k Finisher

A3W-A5R (offset/staple), SRA3-A5R (non offset); Offset tray (upper): max. 1,000-sheet paper capacity (based on 80 g/m2); Stapling capacity: max. 50-sheet multi-position staple (based on 80 g/m2); Requires BP-RB10 Paper Pass Unit

### BP-FD10 Folding Unit

200 sheets (based on 80 g/m2), A3, B4, A4R (Z-fold, half fold), A3, A4R (C-Fold, Accordion fold), 60-256 g/m2

### MX-PN16C Punch Module - 2/4 Hole

Punch module for BP-FN15/BP-FN16/MX-FN30/MX-FN31/MX-FN34/MX-FN35

### MX-PN15B Punch Module - 3 Hole

Punch module for BP-FN13/BP-FN14

### MX-PN14B Punch Module - 3 Hole

Punch module for BP-FN11/BP-FN12

### BP-TR12 Exit Tray Unit

### BP-RB10 Paper Pass Unit

Required when using BP-FN13, BP-FN14, BP-FN15 or BP-FN16

### BP-FN16 3k Saddle Stitch Finisher

A3-B5 (offset/staple), SRA3-A5R (non offset); Offset tray (upper): max. 3,000-sheet paper capacity (based on 80 g/m2); Stapling capacity: max. 65-sheet multi-position staple (based on 80 g/m2); Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m2), 40 sheets (80 g/m2); Stapleless capacity: max. 10-sheet (64 g/m2), 8 sheet (65 - 81.4 g/m2), 6 sheet (81.5 - 105 g/m2); Saddle stitch tray (lower): 10 sets (11-20 sheets), 15 sets (6-10 sheets), 25 sets (1-5 sheets). 20 sheets max per set; Requires BP-RB10 Paper Pass Unit

### BP-FN11 Inner Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset); Offset tray (upper): max. 500-sheet paper capacity (based on 80 g/m2); Stapling capacity: max. 50-sheet multi-position staple (based on 80 g/m2); Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m2), 40 sheets (80 g/m2); Stapleless capacity: max.10-sheet (64 g/m2), 8 sheet (65-81.4 g/m2), 6 sheet (81.5-105 g/m2); Requires BP-RB10 Paper Pass Unit

### MX-PN16B Punch Module - 3 Hole

Punch module for BP-FN15/BP-FN16

### BP-FN15 3k Finisher

A3-B5 (offset/staple), SRA3-A5R (non offset); Offset tray (upper): max. 3,000-sheet paper capacity (based on 80 g/m2); Stapling capacity: max. 65-sheet multi-position staple (based on 80 g/m2); Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m2), 40 sheets (80 g/m2); Stapleless capacity: max. 10-sheet (64 g/m2), 8 sheet (65 - 81.4 g/m2), 6 sheet (81.5 - 105 g/m2); Requires BP-RB10 Paper Pass Unit

# Spesifikasjoner

## Generellt

|                                                         |      |
|---------------------------------------------------------|------|
| Hastighet svart/hvitt kopier/utskrifter per minutt (A4) | 55   |
| Teknologi                                               | 26   |
| Papirstørrelse: min.                                    | A6R  |
| Papirstørrelse: maks                                    | A3W  |
| Papirvekt : min. (g/m <sup>2</sup> )                    | 60   |
| Papirvekt: maks (g/m <sup>2</sup> )                     | 300  |
| Papir kapasitet: Standard (ark)                         | 650  |
| Papir kapasitet: Max (ark)                              | 6300 |
| Oppvarmingstid (sek)                                    | 15   |
| Standardminne: maks (GB)                                | 5    |
| Lagringsslass: Std                                      | SSD  |
| Lagring: Opt.                                           | SSD  |
| SSD-kapasitet: Std (GB)                                 | 128  |
| SSD-kapasitet: Opt. (GB)                                | 512  |
| Dupleks                                                 | Std. |
| Strømkrav: frekvens min (Hz)                            | 50   |
| Strømkrav: frekvens maks (Hz)                           | 60   |
| Energiforbruk (kW)                                      | 1,84 |
| Dimensjon: standard enhet bredde (mm)                   | 608  |
| Dimensjon: standard enhet dybde (mm)                    | 653  |
| Dimensjon: standard enhet høyde (mm)                    | 829  |
| Vekt (kg)                                               | 63   |
| Strømkrav: min (V)                                      | 220  |
| Strømkrav: maks (V)                                     | 240  |

## Kopi

|                                             |                       |
|---------------------------------------------|-----------------------|
| Original papirstørrelse: maks.              | A3                    |
| Tid til første kopi, svart/hvitt (sek)      | 3,5                   |
| E-sort                                      | Opt.                  |
| Kontinuerlig kopiering (max kopier)         | 9999                  |
| Oppløsning ved skanning, svart/hvitt (dpi)  | 600 x 600, 600 x 400  |
| Oppløsning ved skanning, farge (dpi)        | 600 x 600             |
| Oppløsning skrivere (dpi)                   | 600 x 600, 9600 x 600 |
| Gradering (ekvivalente nivåer) - farge      | 256                   |
| Gradering (ekvivalente nivåer) - svart/hvit | 2                     |
| Zoomomgang: min (%)                         | 25                    |
| Zoomomgang: maks (%)                        | 400                   |
| Forhåndsinnstilt kopi ratio                 | 10                    |
| Nettverksskanner                            | Push scan, Pull scan  |

## Trådløst LAN

|                |                                                                                                                                         |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Trådløst LAN   | Opt.                                                                                                                                    |
| Kompatibilitet | IEEE802.11a/ac/b/g/n                                                                                                                    |
| Tilgangsmodus  | Infrastructure mode, Software AP mode                                                                                                   |
| Sikkerhet      | WEP, WPA/WPA2-mixed PSK, WPA/WPA2-mixed EAP, WPA2 PSK, WPA2 EAP, WPA2 EAP/WPA3-mixed, PSK/SAE, WPA3 SAE, WPA2/WPA3-mixed, EAP, WPA3 EAP |

## Lagre

|                 |                                                               |
|-----------------|---------------------------------------------------------------|
| Dokumentlagring | Std.                                                          |
| Lagrede jobber  | Kopi, Print, Skann, Faks                                      |
| Lagringssmapper | Hurtig lagre mappe, Hoved mappe, Tilpasset mappe ( maks 1000) |

## Print

|                                  |                                                                                                                           |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Nettverksprinter                 | Std.                                                                                                                      |
| Oppløsning (dpi)                 | 600 x 600, 9600 x 600                                                                                                     |
| Grensesnitt: Standard            | USB 2.0, USB 3.0, 10Base-T, 100Base-TX, 1000Base-T                                                                        |
| Standard støttede operativsystem | Windows 8.1, Windows 10, Windows 11, Windows Server 2012, Windows Server 2012R2, Windows Server 2016, Windows Server 2019 |
| Støttede operativsystems tilvalg | Mac OS X 10.10, Mac OS X 10.11, Mac OS X 10.12, Mac OS X 10.13, Mac OS X 10.14, Mac OS X 10.15, Mac OS X 11, Mac OS X 12  |
| Nettverksprotokoller             | TCP/IP (IPv4, IPv6)                                                                                                       |
| Utskriftsprotokoller             | LPR, Raw TCP (port 9100), POP3 (e-mail printing), HTTP, FPT for downloading print files, IPP, SMB, WSD                    |
| Tilgjengelige fonter             | 80 PCL, 139 PostScript 3                                                                                                  |

## Faks

|                                        |                   |
|----------------------------------------|-------------------|
| Faks                                   | Opt.              |
| Komprimeringsmetode                    | MH, MR, MMR, JBIG |
| Kommunikasjonsprotokoll                | Super G3, G3      |
| Overføringstid                         | 2                 |
| Modem, hastighet: Min (bps)            | 2400              |
| Modem, hastighet: Maks (bps)           | 33600             |
| Overføringsoppløsning: Standard (dpi)  | 203.2 x 97.8 dpi  |
| Overføringsoppløsning: Ultra fin (dpi) | 406.4 x 391 dpi   |
| Dokument størrelse (min)               | A5                |
| Dokument størrelse (max)               | A3                |
| Minne: Maks (GB)                       | 4                 |
| Gråskalanivåer                         | 256               |
| Nummer registrering, hurtig oppringing | 2000              |
| Gruppesending (maks destinasjoner)     | 500               |

## Skann

|                                |                                                                                                                                                        |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skanning metode                | Std.                                                                                                                                                   |
| Oppløsning Push skanning (dpi) | 100, 150, 200, 300, 400, 600                                                                                                                           |
| Oppløsning Pull skanning (dpi) | 75, 100, 150, 200, 300, 400, 600, 50-9600                                                                                                              |
| Filformater Standard           | TIFF, PDF, PDF/A-1a, PDF/A-1b, Encrypted PDF, Compact PDF, JPEG, XPS, Searchable PDF, Microsoft Office (pptx, xlsx, docx), Text (TXT), Rich Text (RFT) |
| Skannedestinasjoner            | Skrivebord, FTP, E-post, Nätverksmapp, USB minne                                                                                                       |

## Ferdiggjører

|                                         |      |
|-----------------------------------------|------|
| Utmattings kapasitet: min (antall ark)  | 500  |
| Utmattings kapasitet: maks (antall ark) | 3000 |
| Stifekapasitet: maks (antall ark)       | 65   |
| Ryggstifting                            | Opt. |
| Sideforskyvning                         | Std. |
| Hulling                                 | Opt. |

## Toner Beholdning

|                           |       |
|---------------------------|-------|
| Sort (sider ved 6 % dekk) | 40000 |
|---------------------------|-------|



Design and specifications are subject to change without prior notice. All information was correct at time of print. Microsoft, Excel, PowerPoint, OneDrive, SharePoint, Active Directory, Windows Server, and Windows are either registered trademarks or trademarks of Microsoft Corporation in the US and/or other countries. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the US and/or other countries. Google Drive, Gmail, Android, and Google Cloud Print are trademarks of Google LLC. The Google Drive trademark is used with permission from Google LLC. Box is a trademark, service mark, or registered trademark of Box, Inc. QR Code is a registered trademark of DENSO WAVE INCORPORATED in Japan and other countries. AirPrint and Mac are trademarks of Apple Inc., registered in the US and other countries. PCL is a registered trademark of Hewlett\_x0002\_Packard Company. Qualcomm DirectOffice is a product of Qualcomm Technologies, Inc. and/or its subsidiaries. Qualcomm is a trademark of Qualcomm Incorporated, registered in the US and other countries. DirectOffice is a trademark of CSR Imaging US, LP, registered in the US and other countries. All other company names, product names and logos are trademarks or registered trademarks of their respective owners. ©Sharp Corporation All trademarks acknowledged. E&O. Ref: BP-50M55, 27/7/2026